



ATMO^{phon} 13/3+extra



| | |
|---------------|---------|
| Stegbreite | 13 mm |
| Schlitzbreite | 3 mm |
| Perforation | 14,06 % |
| Akustikvlies | ja |
| Bedämpfung | 50 mm |

| WANDABSTAND | α_w | ABSORBERKLASSE |
|-------------|------------|----------------|
| 250 mm | 0,85 | B |



| WA 250 mm | 0,24 | 0,45 | 0,24 | 0,61 | 0,56 | 0,67 | 0,76 | 0,85 | 0,93 | 0,95 | 1,06 | 1,07 | 1,07 | 1,07 | 1,02 | 0,94 | 0,90 | 0,79 |
|-----------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| | 0,30 | | 0,60 | | 0,85 | | 1,05 | | 1,05 | | 0,90 | | | | | | | |

nach EN ISO 354